



Every serial and lot, from dock to pallet.

Title slide

Void ground. Mark at 26 mm top left, headline in Sora 600 at 40 pt, the gradient rule beneath it. Ghosted mark bleeds off the top right at 14% opacity. No photography.

These pale panels are notes for whoever builds the deck. They are not part of any layout.

Presenter name, role

Client or event, August 2026

Section 02

Production and traceability

Section divider

Paper ground. Anta eyebrow in Deep
Ember, Sora 600 title, gradient rule.
Mark alone at 20 mm bottom right.
One divider per section, never two in a
row.

The problem

Stock that is counted once a month is a guess for twenty nine days.

Use this layout when one idea has to land. One sentence, nothing else on the slide. If a second idea is needed, it belongs on a second slide.

Statement

Sora 600 at 26 pt, maximum two lines.
Body in Inter at 12 pt. Keep the lower half of the slide empty. The mark sits at 16 mm bottom right.

How it works

Receiving to dispatch on one system

On the floor

Operators scan at the point of movement. The count updates as the pallet moves, not at the end of the shift.

In the office

Every movement is recorded against a lot and a serial, so a recall question has an answer in seconds rather than days.

Two column

Equal columns with 16 mm between them. Sora 600 at 13 pt for the column heads, Inter at 10.5 pt for the text. Never more than two columns.

Deployment

What a rollout looks like

1

Site to start with, then the next one

2

Modules live before the first review

0

Manual re-entry between floor and system

Figures

Three columns at most, each with a Zero Orange rule above. Sora 600 at 34 pt for the number. Only publish figures that can be evidenced.



Questions, then next steps.

info@zerocon.io zerocon.io

Closing

Void ground, knockout lockup at 150 px, one line of Sora, contact details in Steel 400. No thank you slide, no stock imagery, no social icons.